eg|pc

Interactive Installation Double Skin/Double Mind

Hereby you will find general information on our interactive installation. If you have any questions about the technical information please contact us as soon as possible at:

Emio Greco | PC Artistic directors Emio Greco and Pieter C. Scholten

Witte de withstraat. 117-3hg, 1057 xr amsterdam, the netherlands t/f: +31(0)206167240,

email office: info@egpc.nl email technical department: technical@egpc.nl email Bertha Bermudez: bertha@egpc.nl

eg pc

Capturing Intention Interactive Installation Double Skin/Double Mind

General information	 The installation is a box created by the Zero truss system, with a see-through projection by a video beam and four speakers. The outside measurements of the box are: 4 X 4 X 3 meters. The necessary space to make the installation possible is a minimum of: Height: 4,5 mtr, Depth: 11 mtr, Width: 9 mtr The space in which the installation will be shown must be a black or white space as clean as possible. It is essential that the space can be completely dark, with no windows and no spill from exit signs. Only one person can experience the installation, which lasts around 18 min. The installation works with the software Gesture Follower developed by Frederic Bevilacqua at IRCAM and it is run by an operator and needs of a minimum of two technicians to build up.
Equipment etc. provided by the museum/ theatre/festival	 Beamer (minimum 7000 lumen, seize of the lens needs to be discussed depending on seize of the hall) enough cable to connect the beamer to an apple computer 2 Loud speakers plus cable to be connected to our Apple computer black marly dance floor for the whole space or a minimum of 9 by 9 meters two technicians to assist in rigging and break down.
Material provided by the company	 truss construction made of Zero-truss 1 X see-through projection screen 2 X black gauze curtain for installation 4 loudspeakers / wireless sound interface 1 X apple laptop computer 1 X infra red camera 4 X IR lamps 75W 1 audio-4 channel output / wireless sound interface 1 person to build and operate the installation and 1 operator.

